



One transmitter for multiple measurements

Signet 9900 Transmitter



Benefits

The 9900 Transmitter offers "at-a-glance" visibility, easy set-up and the flexibility to combine it with different parameters.

As a new member of the Signet SmartPro™ family of instruments, the Signet 9900 Transmitter provides a single channel interface for many different parameters including Flow, pH/ORP, Conductivity/Resistivity, Salinity, Temperature, Pressure, Level and other sensors that output a 4 to 20 mA signal. The 9900 Transmitter (Generation II) has the added capability of supporting the Batch Module for batching control.



9900 Transmitter – Panel and Field Mount

At-a-glance visibility

The highly illuminated display and extra large (3.90" x 3.90") autosensing backlit display can be viewed at 4-5 times the distance over traditional transmitters. Large characters are easily visible even in dark conditions. The display shows

separate lines for units, main and secondary measurements as well as a "dial-type" digital bar graph.

Quick and easy installation

The intuitive menu system is consistent with ProcessPro® and ProPoint® transmitters.

With our PC COMM configuration tool you can easily set-up the parameters on your laptop.

Flexibility

One instrument for multiple measurements. Designed for complete flexibility, plug-in modules allow the unit to easily adapt to meet changing customer needs. Optional modules include Relay, Direct Conductivity/Resistivity, H COMM, Batch and a PC COMM configuration tool.



Relay Module



Direct Conductivity/ Resistivity Module



H COMM Module



Batch Module



0251 Configuration Tool

Features

Default values are available for quick and easy programming and can be customised if desired.

For at-a-glance visibility, the 9900 Transmitter features a large auto-sensing backlit display, "dial-type" bar graph and relay and warning LEDs. The intuitive menu system is consistent with ProcessPro® and ProPoint® transmitters, assuring you of a quicker and easier installation. The optional Relay, Direct Conductivity/Resistivity, H COMM and Batch plugin modules offers ease of use. The PC COMM configuration tool allows you to easily set-up, review, save and load all modifiable parameters. The unit can be used with default values for quick and easy programming or can be customised with labelling, adjustable minimum and maximum dial settings, and unit and decimal measurement choices. The versatile device also allows third-party 4 to 20 mA signals to be used as an input (optional 8058 module required).



Features

One unit can replace ProPoint® and single-channel ProcessPro® instruments, dramatically reducing part numbers.


The 9900 Transmitter can be integrated in a panel unit or mounted in the field. Both configurations can run on 12 to 32 VDC power (24 VDC nominal) and can control many types of sensors on loop power. Customers have the option to convert their 9900 Transmitter (Generation II) to a Batch Controller by adding the Batch and Relay modules.

H COMM Module

- Allows communication between the 9900 Transmitter and any HART® enabled device
- Allows access to Primary and Secondary measurements remotely
- Allows user to remotely adjust the 4 and 20 mA settings
- Not compatible with Batch Module

PC COMM Tool

- Enables configuration and programming from a PC
- Settings from one 9900 Transmitter can be saved to a PC and applied to future installations
- Compatible with Windows 7, Vista and XP



- Adds Batch capability to the 9900 Transmitter (Generation II)
- Compatible with all Signet flow sensors
- Up to 10 batch sizes can be stored in one 9900 with customised names and K-Factors available for
- Batch Module plugs in the same location as the Conductivity Module. User must choose only one module.

Relay Module

- Adds two programmable
- dry-contact relays
- Available in panel mount only
- Hysteresis and time delay available for each relay

System Overview

The angle adjustment adapter kit quickly and easily converts your 9900 Field Mount Transmitter to any angle.

Additional accessories are available to help you with field installations. We provide solutions for field mounting by offering a separate mounting kit. The 3-8050 Universal Mount Kit, the 3-8051 or 8052 Integral Mount Kits, and the Angle Adjustment Adapter Kit enable the transmitter to be installed virtually anywhere. The adapter angles the transmitter by 25° degrees, allowing moisture to run off the display. The accessory enhances the versatility of the 9900 Field Mount Transmitter.



9900 Field Mount Transmitter

Field mounting requires a separate mounting kit. The 3-8050 Universal Mount Kit, the 3-8051 or 8052 Integral Mount Kits, and the Angle Adjustment Adapter Kit enable the transmitter to be installed virtually anywhere.



Angle Adjustment Adapter Kit

The angle adjustment adapter kit quickly and easily converts your 9900 Field Mount Transmitter to a 25° angle. This accessory enhances the versatility of the 9900 Field Mount Transmitter.





Mounting Kits

For Field Mount installations with a Conductivity/ Resistivity Module, the Angle Adjustment Adapter is required along with a 3-8050, 8051 or 8052 adapter kit to allow for sufficient clearance for the wiring.

Applications

The 9900 Transmitter in a tank filling application.

The 9900 versatile parameter and modularity capabilities make the unit well suited for a variety of applications including wastewater treatment, reverse osmosis, deionisation, chemical manufacturing, metal and plastic finishing, fume scrubbers, cooling towers and media filtration.



Applications

No matter which processes and applications - GF Piping Systems supports its customers in every phase of the project.

From start to finish, we stand beside our customers as a competent, reliable and experienced partner, actively contributing the know-how of an industrial company that has been successful in the market for over 200 years. With our application knowledge and product expertise we support our customers during the planning process, the sustainable realisation of the projects and the provision of services.



Industrial & Municipal Water Treatment

Water treatment, whether it is for municipal or industrial applications, typically serves to improve the quality of the water to ensure public safety or to reduce negative impacts on process equipment and/or the environment. The 9900 Transmitter, part of the new SmartPro family, is ideal for use in measurement and control of various water treatment applications. Industrial Water Treatment applications include media

filtration, deionisation, desalination, cooling tower control, reverse osmosis, and fume scrubbers, while chlorine dioxide and ozone control are common in Municipal Water Treatment applications. Monitoring the quantity and quality of various parameters such as acidity/alkalinity of chemicals, salts, and chlorine concentrations are all important in delivering processed water to the quality standards demanded by each unique application.

Chemical Process Industry

The 9900 and applicable sensors can be used for measurement and control in the transport and dilution of various chemicals. Managing chemical tank levels and dosing of chemicals can all be monitored and controlled using the new 9900 Transmitter.

GF Piping Systems - worldwide at home

Our sales companies and representatives ensure local customer support in over 100 countries.

www.gfsignet.com



The technical data is not binding. They neither constitute expressly warranted characteristics nor guaranteed properties nor a guaranteed durability. They are subject to modification. Our General Terms of Sale apply.

Adding Quality to People's Lives

Argentina/Southern South America

Georg Fischer Central Plastics Sudamérica S.R.L. Buenos Aires, Argentina Phone +5411 4512 02 90 gfcentral.ps.ar@georgfischer.com

Australia

George Fischer Pty Ltd Riverwood NSW 2210 Australia Phone +61(0)2 9502 8000 australia.ps@georgfischer.com www.qeorgfischer.com.au

Austria

Georg Fischer Rohrleitungssysteme GmbH 3130 Herzogenburg Phone +43(0)2782 856 43-0 austria.ps@georgfischer.com www.georgfischer.at

Belgium/Luxembourg Georg Fischer NV/SA

Georg Fischer NV/SA 1070 Bruxelles/Brüssel Phone +32(0)2 556 40 20 be.ps@georgfischer.com www.georgfischer.be

Brazil

Georg Fischer Ltda. 04795-100 São Paulo Phone +55[0]11 5525 1311 br.ps@georgfischer.com www.georgfischer.com.br

Canada

Georg Fischer Piping Systems Ltd Mississauga, ON L5T 2B2 Phone +1(905)792 8005 Fax +1(905)792 6667 ca.ps@georgfischer.com www.georgfischer.ca

China

Georg Fischer Piping Systems Ltd Shanghai Pudong, Shanghai 201319 Phone +86[0]21 3899 3899 china.ps@georgfischer.com www.georgfischer.cn

Denmark/Iceland

Georg Fischer A/S 2630 Taastrup Phone +45 (0)70 22 19 75 info.dk.ps@georgfischer.com www.georgfischer.dk

Finland

Georg Fischer AB 01510 VANTAA Phone +358 (0)9 586 58 25 Fax +358 (0)9 586 58 29 info.fi.ps@georgfischer.com www.georgfischer.fi

France

Georg Fischer SAS 95932 Roissy Charles de Gaulle Cedex Phone +33(01 41 84 68 84 fr.ps@georgfischer.com www.georgfischer.fr

Germany

Georg Fischer GmbH 73095 Albershausen Phone +49(0)7161 302-0 info.de.ps@georgfischer.com www.georgfischer.de

India

Georg Fischer Piping Systems Ltd 400 076 Mumbai Phone +91 224007 2001 in.ps@georgfischer.com www.georgfischer.in

Italy

Georg Fischer S.p.A. 20063 Cernusco S/N [MI] Phone +3902 921 861 it.ps@georgfischer.com www.georgfischer.it

Japan

Georg Fischer Ltd 556-0011 Osaka, Phone +81(0)6 6635 2691 jp.ps@georgfischer.com www.georgfischer.jp

Korea

Georg Fischer Piping Systems 271-3 Seohyeon-dong Bundang-gu Seongnam-si, Gyeonggi-do Seoul 463-824 Phone +82 31 8017 1450 3 Fax +82 31 8017 1454 kor.ps@georgfischer.com www.georgfischer.kr

Malavsia

George Fischer (M) Sdn. Bhd. 40460 Shah Alam, Selangor Darul Ehsan Phone +60 (0) 3122 5585 my.ps@georgfischer.com www.georgfischer.my

Mexico/Northern Latin America

Georg Fischer S.A. de C.V. Apodaca, Nuevo Leon CP66636 Mexico Phone +52 [81]1340 8586 Fax +52 [81]1522 8906 mx.ps@georgfischer.com www.georgfischer.mx

Middle East

George Fischer Piping Systems
Dubai, United Arab Emirates
Phone +971 4 289 49 60
info.export@georgfischer.com
www.export.georgfischer.com

Netherlands

Georg Fischer N.V. 8161 PA Epe Phone +31(0)578 678 222 nl.ps@georgfischer.com www.georgfischer.nl

Norway

Georg Fischer AS 1351 Rud Phone +47(0)67 18 29 00 no.ps@georgfischer.com www.georgfischer.no

Poland

Georg Fischer Sp. z o.o. 05-090 Sekocin Nowy Phone +48(0)22 31 31 0 50 poland.ps@georgfischer.com www.georgfischer.pl

Romania

Georg Fischer
Piping Systems Ltd
020257 Bucharest - Sector 2
Phone +40[0]21 230 53 80
o.ps@georgfischer.com
www.export.georgfischer.com

Russia

Georg Fischer Piping Systems Moscow 125047 Tel. +7 495 258 60 80 ru.ps@georgfischer.com www.georgfischer.ru

Singapore

George Fischer Pte Ltd 528 872 Singapore Phone +65[0]67 47 06 11 sgp.ps@georgfischer.com www.georgfischer.sg

Spain/Portugal

Georg Fischer S.A. 28046 Madrid Phone +34(0)91 781 98 90 es.ps@georgfischer.com www.georgfischer.es

Sweden

Georg Fischer AB 117 43 Stockholm Phone +46[0]8 506 775 00 info.se.ps@georgfischer.com www.georgfischer.se

Switzerland

Georg Fischer Rohrleitungssysteme (Schweiz) AG 8201 Schaffhausen Phone +41(0)52 631 30 26 ch.ps@georgfischer.com www.piping.georgfischer.ch

Taiwan

Georg Fischer Piping Systems San Chung City, Taipei Hsien Phone +886 2 8512 2822 Fax +886 2 8512 2823 www.georgfischer.tw

United Kingdom/Ireland

George Fischer Sales Limited Coventry, CV2 2ST Phone +44(0)2476 535 535 uk.ps@georgfischer.com www.georgfischer.co.uk

USA/Caribbean

Georg Fischer LLC
Tustin, CA 92780-7258
Phone +1[714] 731 88 00
Toll Free 800 854 40 90
us.ps@georgfischer.com
www.gfpiping.com

Vietnam

George Fischer Pte Ltd 136E Tran Vu, Ba Dinh District, Hanoi Phone +84 4 3715 3290 Fax +84 4 3715 3285

International

Georg Fischer
Piping Systems (Switzerland) Ltd.
8201 Schaffhausen/Switzerland
Phone +41(0)52 631 30 03
Fax +41(0)52 631 28 93
info.export@georgfischer.com
www.export.georgfischer.com

